



Wheels and Casters

<p>WH03 10" x 2" Flexible PVC 16mm Precision Bearing 2 1/4" Hub Width 250 lbs. Cap. Wt. 2 1/2 lbs.</p> 	<p>WH04 8" x 2" Flexible PVC 5/8" Sleeve Bushing 2 1/4" Hub Width 250 lbs. Cap. Wt. 1 1/2 lbs.</p> 	<p>WH09 12" x 3 1/2" Pneumatic 5/8" Ball Bearing 3 1/4" Offset Hub 400 lbs. Cap. Wt. 5 lbs.</p> 
<p>WH15P 10" x 1 3/4" Semi Pneumatic 5/8" Plain Bearing 1 5/8" Hub Width 150 lbs. Cap. Wt. 3 1/8 lbs.</p> 	<p>WH16 10" x 3 1/2" Pneumatic 5/8" Ball Bearing 2 1/4" Hub Width 350 lbs. Cap. Wt. 4 lbs.</p> 	<p>WH17 10" x 3 1/2" Pneumatic 5/8" Ball Bearing 3 1/4" Hub Width 350 lbs. Cap. Wt. 4 lbs.</p> 
<p>WH18 5" x 1 1/4" Hard Core, Soft Tread 5/8" Oilite 1 1/2" Hub Width 250 lbs. Cap. Wt. 1 1/2 lbs.</p> 	<p>WH18P 5" x 1 1/4" Polyolefin 5/8" Plain Bearing 1 1/2" Hub Width 250 lbs. Cap. Wt. 1/2 lb.</p> 	<p>WH34 21" x 4" Pneumatic No Bearing 4 Bolt Hub 840 lbs. Cap. Wt. 20 lbs.</p> 
<p>WH55 - Discontinued 8" x 2 1/4" Balloon Cushion 5/8" Ball Bearing 2" Hub Width 450 lbs. Cap. Wt. 4 lbs.</p> 	<p>WH55P 8" x 2" Balloon Cushion 5/8" Ball Bearing 2 1/4" Hub Width 400 lbs. Cap. Wt. 2 3/4 lbs.</p> 	<p>WH60 10" x 2 1/2" Solid Rubber 5/8" Ball Bearing 2 1/4" Hub Width 400 lbs. Cap. Wt. 5 1/2 lbs.</p> 
<p>WH62 10" x 2" Mold On Rubber 5/8" Ball Bearing 2 1/4" Hub Width 600 lbs. Cap. Wt. 5 1/2 lbs.</p> 	<p>WH63 6" x 2" Mold On Rubber 5/8" Ball Bearing 2 1/4" Hub Width 460 lbs. Cap. Wt. 2 1/4 lbs.</p> 	<p>WH63P 6" x 2" Polyolefin 5/8" Plain 2 1/4" Hub Width 750 lbs. Cap. Wt. 1 lb.</p> 
<p>WH64 10" x 2 1/2" Solid Rubber 5/8" Ball Bearing 3 1/4" Hub Width 400 lbs. Cap. Wt. 5 3/4 lbs.</p> 	<p>WH66 6" x 1 1/2" Mold On Rubber 5/8" Ball Bearing 2 1/4" Hub Width 350 lbs. Cap. Wt. 2 1/4 lbs.</p> 	<p>WH75 2 1/2" x 1 1/8" Cast Aluminum 5/8" Plain 1 1/8" Hub Width 350 lbs. Cap. Wt. 1/4 lb.</p> 



Wheels and Casters

<p>WH77 8" x 1⁵/₈" Mold On Rubber 5/8" Ball Bearing 2" Hub Width 450 lbs. Cap. Wt. 2¹/₄ lbs.</p> 	<p>WH85 8" x 2" Solid Rubber 5/8" Ball Bearing 2¹/₄" Hub Width 300 lbs. Cap. Wt. 3¹/₄ lbs.</p> 	<p>WH85C 7¹/₂" x 2" Solid Crumb Rubber 5/8" Ball Bearing 2¹/₄" Hub Width 300 lbs. Cap. Wt. 3¹/₂ lb.</p> 
<p>WH86 10" x 2" Solid Rubber 5/8" Ball Bearing 2¹/₄" Hub Width 300 lbs. Cap. Wt. 4³/₄ lbs.</p> 	<p>WH86C 9¹¹/₁₆" x 2" Solid Rubber 5/8" Ball Bearing 2¹/₄" Hub Width 300 lbs. Cap. Wt. 4¹/₂ lb.</p> 	<p>WHK17 10" x 3¹/₂" Pneumatic 5/8" Ball Bearing 2¹/₄" Hub Width 300 lbs. Cap. Wt. 3 lbs.</p> 
<p>WHKB01 10" x 3¹/₂" Mirco Cellullar Foam 5/8" Ball Bearing 2¹/₄" Hub Width 300 lbs. Cap. Wt. 3¹/₂ lbs.</p> 		



Wheels and Casters

<p>WH16Z 10" x 3½" Pneumatic ¾" Bearing 2¼" Hub Width 350 lbs. Cap. Wt. 4½ lbs.</p>	<p>WH19 10" x 3½" Pneumatic ¾" Ball Bearing 3¼" Hub Width 350 lbs. Cap. Wt. 4 lbs.</p>	<p>WH25P 12" x 1¾" Semi Pneumatic ¾" Plain Bearing 2" Hub Width 150 lbs. Cap. Wt. 3¾ lbs.</p>
<p>WH26 12" x 3" Solid Rubber ¾" Ball Bearing 3" Hub Width 350 lbs. Cap. Wt. 8¼ lbs.</p>	<p>WH27 12" x 1¾" Semi Pneumatic ¾" Ball Bearing 3¼" Hub Width 200 lbs. Cap. Wt. 7¼ lbs.</p>	<p>WH29 12" x 3½" Pneumatic ¾" Ball Bearing 4¼" Hub Width 500 lbs. Cap. Wt. 7½ lbs.</p>
<p>WH31 18" x 2" Steel ¾" Ball Bearing 3" Hub Width 200 lbs. Cap. Wt. 9¾ lbs.</p>	<p>WH32 24" x 2" Steel ¾" Ball Bearing 3" Hub Width 200 lbs. Cap. Wt. 13 lbs.</p>	<p>WH33 30" x 2" Steel ¾" Ball Bearing 3" Hub Width 200 lbs. Cap. Wt. 17¾ lbs.</p>
<p>WH50 12" x 2½" Mold On Rubber ¾" Roller Bearing 2¾" Hub Width 750 lbs. Cap. Wt. 15¾ lbs.</p>	<p>WH56 - Discontinued 8" x 2¼" Balloon Cushion ¾" Ball Bearing 2" Hub Width 450 lbs. Cap. Wt. 4 lbs.</p>	<p>WH56P 8" x 2¼" Balloon Cushion ¾" Ball Bearing 2¼" Hub Width 400 lbs. Cap. Wt. 2¾ lbs.</p>
<p>WH57 8" x 2¼" Solid Rubber ¾" Ball Bearing 2¼" Hub Width 400 lbs. Cap. Wt. 3½ lbs.</p>	<p>WH67 6" x 2" Mold On Rubber ¾" Ball Bearing 2¼" Hub Width 460 lbs. Cap. Wt. 2¼ lbs.</p>	<p>WH68 10" x 2" Mold On Rubber ¾" Ball Bearing 2¼" Hub Width 600 lbs. Cap. Wt. 5½ lbs.</p>
<p>WH68P 10" x 2¼" Polyolefin ¾" Plain 2¼" Hub Width 1000 lbs. Cap. Wt. 2½ lbs.</p>	<p>WH72 16" x 4" Pneumatic ¾" Ball Bearing 4¼" Hub Width 435 lbs. Cap. Wt. 8¾ lbs.</p>	<p>WH73P 8" x 2" Polyolefin ¾" Plain 2¼" Hub Width 450 lbs. Cap. Wt. 1 lb.</p>



Wheels and Casters

WH81P

6" x 2"
Polyolefin
¾" Plain
2¼" Hub Width
750 lbs. Cap.
Wt. 1 lb.



WH83

10" x 2½"
Solid Rubber
¾" Ball Bearing
3¼" Hub Width
400 lbs. Cap.
Wt. 6 lbs.



WH84

10" x 2½"
Solid Rubber
¾" Ball Bearing
2¼" Hub Width
400 lbs. Cap.
Wt. 5½ lbs.





Wheels and Casters

<p>WH20 5" x 1¼" Semi Pneumatic ½" Oilite Bearing 1¼" Hub Width 100 lbs. Cap. Wt. ¾ lbs.</p> 	<p>WH21 6" x 1½" Semi Pneumatic ½" Plain Bearing 1½" Hub Width 100 lbs. Cap. Wt. 1 lb.</p> 	<p>WH22 8" x 1¾" Mold On Rubber ½" Plain 1½" Hub Width 150 lbs. Cap. Wt. 1 lb.</p> 
<p>WH24 7" x 1½" Semi Pneumatic ½" Plain Bearing 1½" Hub Width 175 lbs. Cap. Wt. 1½ lbs.</p> 	<p>WH70 8" x 1¾" Semi Pneumatic ½" Plain 1½" Hub Width 150 lbs. Cap. Wt. 2¼ lbs.</p> 	<p>WH70C - Conductive 8" x 1¾" Semi Pneumatic ½" Ball Bearing 1¾" Hub Width 150 lbs. Cap. Wt. 2½ lbs.</p> 
<p>WH71 6" x 1½" Semi Pneumatic ½" Ball Bearing 1¾" Hub Width 60 lbs. Cap. Wt. 1¼ lbs.</p> 	<p>WH80 5" x 1¼" Hard Core, Soft Tread ½" Plain 1½" Hub Width 125 lbs. Cap. Wt. 1½ lbs.</p> 	<p>WH80A 5" x 1¼" Polyolefin ½" Plain ¾" Hub Width 150 lbs. Cap. Wt. ½ lb.</p> 
<p>WH59 - Discontinued 10" x 2½" Mold On Rubber ¾" Roller Bearing 2¾" Hub Width 790 lbs. Cap. Wt. 6 lbs.</p> 	<p>WH59P 10" x 2¼" Polyolefin ¾" Plain 2¾" Hub Width 1000 lbs. Cap. Wt. 2½ lbs.</p> 	<p>WH99 10" x 2½" Mold On Rubber ¾" Roller Bearing 2¾" Hub Width 790 lbs. Cap. Wt. 13 lbs.</p> 
<p>WH87 10" x 2½" Mold On Rubber 1" Roller Bearing 2¾" Hub Width 790 lbs. Cap. Wt. 13 lbs.</p> 	<p>WH89 - Discontinued 10" x 2½" Mold On Rubber 1" Roller Bearing 2¾" Hub Width 790 lbs. Cap. Wt. 6 lbs.</p> 	<p>WH89P 10" x 2¼" Polyolefin 1" Plain 2¾" Hub Width 1000 lbs. Cap. Wt. 2½ lbs.</p> 



Wheels and Casters

<p>WH23 3" x 3/4" Hard Core, Soft Tread Swivel 3/8" x 3/4" Stem 50 lbs. Cap. Wt. 1/2 lb.</p> 	<p>WH23A 3" x 3/4" Polyolefin Swivel 7/16" x 2" Stem 50 lbs. Cap. Wt. 1/2 lb.</p> 	<p>WH35PA 5" x 1 1/4" Polyolefin Swivel 1/2" x 3/4" Stem 150 lbs. Cap. Wt. 1 lb.</p> 
<p>WH35PB 5" x 1 1/4" Polyolefin Swivel 7/16" x 2" Stem 150 lbs. Cap. Wt. 1 lb.</p> 	<p>WH35PC 5" x 1 1/4" Polyolefin Swivel 3/8" x 3/4" Threaded Stem 150 lbs. Cap. Wt. 1 lb.</p>	<p>WH35PD 5" x 1 1/4" Polyurethane Swivel 3/8" x 3/4" Threaded Stem 150 lbs. Cap. Wt. 1 1/2 lbs.</p>
<p>WH38 15" x 1 1/4" Nylon tube 3/4" Ball Bearing 3 1/4" Offset Hub 500 lbs. Cap. Wt. 8 1/4 lbs.</p>	<p>WH39 5" x 1 1/4" Mold On Rubber Swivel 2 3/8" x 3 5/8" Plate 190 lbs. Cap. Wt. 2 3/4 lbs.</p> 	<p>WH40 3" x 1 1/4" Hard Core, Soft Tread Swivel 1/2" x 3/4" Stem 125 lbs. Cap. Wt. 1 lb.</p> 
<p>WH41 3" x 1 3/16" Rubber Swivel 7/16" x 1 1/2" Stem 90 lbs. Cap. Wt. 3/4 lb.</p> 	<p>WH42 2 1/2" x 3/4" Polyolefin Swivel 7/16" x 1 3/8" Stem 50 lbs. Cap. Wt. 1/2 lb.</p> 	<p>WH43 4" x 1" Hard Core, Soft Tread Swivel 3/8" x 3/4" Stem 100 lbs. Cap. Wt. 1 lb.</p> 
<p>WH44A 3" x 1 3/16" Rubber Swivel Plate 1 3/16" x 2" 75 lbs. Cap. Wt. 1/2 lb.</p> 	<p>WH45 5" x 1 1/4" Mold On Poly Swivel 2 1/2" Stem 200 lbs. Cap. Wt. 2 1/4 lbs.</p> 	<p>WH45B 5" x 1 1/4" Mold On Urethane Swivel 1" x 2 1/2" Stem 200 lbs. Cap. Wt. 2 1/2 lbs.</p>
<p>WH46 3 1/2" x 1 1/4" Mold On Poly Swivel Plate 2 3/8" x 3 5/8" 200 lbs. Cap. Wt. 1 3/4 lbs.</p> 	<p>WH47 3" x 1 1/4" Poly Ball Bearing Swivel 1/2" Threaded Stem 240 lbs. Cap. Wt. 1 1/2 lbs.</p> 	<p>WH48 5" x 1 1/4" Mold On Poly Swivel 1/2" Threaded Stem 200 lbs. Cap. Wt. 2 lbs.</p> 



Wheels and Casters

<p>WH48B 5" x 1¼" Mold On Poly Swivel ½" x 1" Threaded Stem 200 lbs. Cap. Wt. 1¼ lbs.</p> 	<p>WH49 5" x 1⅜" Hard Core, Soft Tread Swivel Plate 2¾" x 3¾" 250 lbs. Cap. Wt. 2¾ lbs.</p> 	<p>WH49R 5" x 1¼" Hard Core, Soft Tread Oilite Bearing 2⅜" x 3⅝" Plate 250 lbs. Cap. Wt. 2 lbs.</p> 
<p>WH51S 6" x 2" Mold On Rubber Swivel Plate 4" x 4½" 410 lbs. Cap. Wt. 7¼ lbs.</p> 	<p>WH52 6" x 2" Polyolefin Swivel Plate 4" x 4⅝" 820 lbs. Cap. Wt. 4¾ lbs.</p> 	<p>WH53 6" x 2" Mold On Rubber Rigid Plate 4" x 4½" 410 lbs. Cap. Wt. 6¼ lbs.</p> 
<p>WH53S - Discontinued 6" x 2" Mold On Rubber Rigid Plate 4" x 4½" 410 lbs. Cap. Wt. 6¼ lbs.</p> 	<p>WH54 6" x 2" Polyolefin Rigid Plate 4" x 4⅝" 820 lbs. Cap. Wt. 4 lbs.</p> 	<p>WH58 - Discontinued 6" x 2" Mold On Rubber Swivel Plate 4" x 4½" 550 lbs. Cap. Wt. 6½ lbs.</p> 
<p>WH58B 6" x 2" Mold On Rubber Swivel Plate 4" x 4½" 550 lbs. Cap. Wt. 7 lbs.</p> 	<p>WH79 5" x 1" Polyolefin Swivel Plate 2¾" x 3⅝" 150 lbs. Cap. Wt. 1¼ lbs.</p> 	<p>WH79R 5" x 1" Polyolefin Rigid Plate 2⅜" x 3⅝" 150 lbs. Cap. Wt. 1¼ lbs.</p> 
<p>WH91 8" x 2" Mold On Rubber Swivel Plate 4" x 4⅝" 500 lbs. Cap. Wt. 7½ lbs.</p> 	<p>WH92 8" x 2" Polyolefin Swivel Plate 4" x 4⅝" 1000 lbs. Cap. Wt. 5½ lbs.</p> 	<p>WH94 8" x 2" Polyolefin Rigid Plate 4" x 4⅝" 1000 lbs. Cap. Wt. 4¾ lbs.</p> 
<p>WH96 8" x 2½" Pneumatic Swivel Plate 4" x 4⅝" 250 lbs. Cap. Wt. 6½ lbs.</p> 	<p>WH98 8" x 2½" Pneumatic Rigid Plate 4" x 4⅝" 250 lbs. Cap. Wt. 6 lbs.</p> 	